








WWW.SUNERGOLINE.COM

TOLL-FREE: 888.771.0996

SUNBED HIGHLIGHTS 2008

WWW.SUNERGOLINE.COM · TOLL-FREE: 888.771.0996







ERGOLINE PRESTIGE SERIES

Prestige, the new Ergoline flagship series, sets new standards for salons. Its Extreme Power technology delivers up to 133 kJ/min for maximum tanning. The Prestige also leads the way in terms of luxury features, design, ergonomics, quality and ease of

P. 13-15



ERGOLINE **ESPRIT SERIES**

The Ergoline Esprit Series ushers in a new design trend. Impressive curves and colors combined with brilliant mood lights give this series an unmistakable appearance. With beauty on the outside, each model comes equipped with powerful tanning technology on the inside delivering up to 123 kl/min.

P. 16-17



ERGOLINE **OPEN SUN SERIES**

Feel like more tanning freedom? The Ergoline Open Sun 1050 and 550 are pioneers in open tanning. Your customers will appreciate total power and intense tanning delivering up to 142.5 kJ/min in the Open Sun 1050. This high-pressure sunbed leaves nothing to be desired.

P. 18-19



ERGOLINE **AFFINITY SERIES**

The Affinity series offers a wide range of innovations and equipment highlights. All affinity models come standard with Ergoline's Ultra Performance high-pressure facial technology and deliver up to 117.8 kJ/min. A special design feature allows changeable mood and ambient lighting to match a salon's interior.

P. 20-23



ERGOLINE INSPIRATION SERIES

The new Inspiration series gives you comfort that you'll hardly find anywhere else in this sunbed class. Its level of premium features, exciting styling, light design, generous space in the tanning tunnel and, above all, up to 72.7 kJ/min UV performance have

set new standards.

P. 24-25



ERGOLINE ADVANTAGE SERIES

This is how beautiful the intermediate category can be. Ergoline's Advantage series provides full-powered tanning delivering up to 69.3 kJ/min with a spacious tanning tunnel. In combination with the plethora of features it provides, the Ergoline Advantage 400 is the perfect addition to any salon.

P. 26-27



ERGOLINE AMBITION SERIES

The Ergoline Ambition series has proven Genesis performance to impress and rock-solid durability to last. The gorgeous, modern look and bold starlight design in these sunbeds is unique in this class and will turn heads – and profits! Delivering up to 55.3 kJ/min, the Ambition series gives you plenty of tanning power for years of operation.

P. 28-29



ERGOLINE STAND-UP SERIES

The Ergoline Stand-up series delivers up to 89.2 kJ/min with powerful, 2-meter tall UV lamps. The lifestyle motifs on either backlit, decorative glass or sleek aluminum are genuine eye-catchers in any salon and spark the desire for an attractive tan.

P. 30-31

OUALITY PAYS

TEN GOOD REASONS FOR ERGOLINE

Successful tanning professionals know what it takes to prosper in the tanning business – solid products, excellent customer service, industry-leading knowledge and well-known brand names. Choosing Ergoline gives you that competitive edge.

Ergoline offers customized concepts to meet the requirements of any business. Whether buying or leasing, salon owners are always on the sunny side with Ergoline.





EXCELLENT BRAND NAME

Ergoline is the #1 supplier to professional tanning salons and has been setting the standards in the tanning industry for decades. One of the most recognized brands for salon owners and tanning customers alike, Ergoline sunbeds offer innovative UV technologies, exclusive designs, excellent workmanship and high resale values. All of these have taken the Ergoline brand to the top. Deciding on a professional sunbed from the world-wide market leader means setting the scenes for success in the tanning business.



INNOVATIVE UV TECHNOLOGIES

Ergoline is synonymous with tanning power. Innovative, efficient and powerful UV technologies ensure an especially deep tan. Facial tanning systems, with their combination of glass reflectors and filter panels, provide impressive proof of Ergoline's UV mastery. The Ultra glass reflectors use computermodeled geometry to provide maximum UV reflection and transmission performance. The specially coated filter panels are an exclusive feature of Ergoline facial tanning systems. These filters allow only the effective components of the UV spectrum to be reflected. Ergoline's internal research and development center regularly introduces cuttingedge innovations – such as **Dynamic Power, Ultra** Performance Technology and Advanced Reflective **Tanning** – to improve the tanning performance and energy efficiency of our sunbeds.



FUTURISTIC DESIGN

World-class design that creates a symbiosis of light and function is Ergoline's trademark. You won't find superficial fashion trends on our sunbeds. Clear lines, lustrous surface finishes and fascinating lighting effects will enthral your customers now and in years to come. The ultimate goal of design is to give tanners an attractive, eye-catching look. Ergoline continues to set new trends with exciting effect lighting and radiant design elements. The resulting powerful illumination is an irresistible invitation for tanning. The more varied the lighting, the more uniquely distinctive the appearance – a main characteristic of Frooline.



GUARANTEED QUALITY

All components we use in our sunbed production are made of first-class materials, which are all tested for resistance against UV light, cleaning fluids and other potential hazards. Our state-of-the-art manufacturing technologies, qualified staff and meticulous craftsmanship ensure consistency and dependability. Every Ergoline sunbed undergoes a variety of functional tests before it leaves the factory. Anyone investing their money in purchasing an Ergoline professional sunbed has the certainty of being able to rely on absolute quality.

EXCELLENT SERVICE

If you should experience technical problems with one of your Ergoline sunbeds, we have a complete service network to fix the problem.

Just contact your local Ergoline trained and approved distributor for prompt and efficient resolution of the problem. In addition, Ergoline continues to stay ahead of the competition with the inclusion of an online knowledge base. There you can find answers via a solution database, submit a question to technical support staff and send feedback.

Providing additional methods of technical support is one of the many ways that Ergoline shows dedication to its customers.



ERGONOMICS SECOND TO NONE

Ergoline integrates ergonomic shapes for unsurpassed tanning comfort – a design philosophy we believe in so much that we have based our brand name on it. The new extra-wide Body Shape acrylic with integrated head rest, comfortable arm rests and variable foot rests provides maximum tanning comfort and reduces pressure points for a seamless tan. Adding to comfortable ergonomics are Ergoline's luxurious comfort features. Temptronic air-conditioning lets tanners set their desired temperature, whether warm or cold. Aqua Mist & Aroma gives your customers a refreshing experience. Innovative sound systems provide perfect listening pleasure.



EFFORTLESS MAINTENANCE

Every Ergoline sunbed has been designed to ensure that all components that require servicing are easily and quickly reached. Low-maintenance materials make cleaning simple and easy for salon personnel. Furthermore, Ergoline has set a benchmark in ease of service with its integrated infrared interface. PDA handhelds and laptops using exclusive software give salon operators even more convenience with password-protected access to all of the sunbed's main servicing and control parameters. If a problem does arise that you cannot fix yourself, Ergoline customer service technicians provide a fast and professional solution. With quality you can rely on, tanning professionals can expect trouble-free operation.



DISTRIBUTOR NETWORK

Ergoline is represented throughout the United States, Canada and Mexico by the industry's most experienced team of sales, service and support professionals. Ergoline's distributors stock equipment, parts, lamps, etc. and maintain toll-free service lines to handle all of your needs promptly and courteously. Experienced delivery and setup crews are also readily available.



EXCELLENT SUPPORT FOR YOUR SALON

Ergoline provides high-profile advertising and point-of-sale support with high-impact marketing concepts and attractive campaign materials. It's no secret that creating eye-catching marketing and promotion material is vital to the success of your salon. Ergoline has an extensive selection of photos as well as a complete line of ready-made and customizable posters, postcards and leaflets. The merchandise from Ergoline offers you a huge selection of excellent promotional material that has been specially designed for tanning salons. Whether you need incentives for your regular customers or eye catching posters to get the attention of new customers, Ergoline has many items for your business.



ENVIRONMENTALLY FRIENDLY

We don't just pay lip service to environmental protection and sustainable use of our world's resources. The entire JK Group has subscribed to the stringent guidelines set in VO EC 761/2001 and EN ISO 14001:1996 with regular internal and external environmental protection audits. All electronic components that we use comply with the RoHS directive.

In the USA, Ergoline reduces the amount of manufacturing waste by using post-consumer recycling in our products, recycling excess metal and aluminum during production and installing special ballasts that help to control electricity usage and extend lamp life in our newest sunbeds.







DYNAMIC POWER IN: PRESTIGE 990 ESPRIT 770



Ergoline has opened a new era in UV performance with its future-oriented Dynamic Power technology. Using auto-adjusting ballasts, this innovative technology is geared towards maximum UV output and delivers approximately 25% extra output per watt of energy input. Furthermore, this technology compensates and maintains the maximum power level throughout each lamp's lifespan. The brandnew Dynamic Power technology, which is exclusive to Ergoline, is featured in the Prestige and Esprit series where their 200-watt UV lamps will impress even the most seasoned tanners.



EXTREME POWER

Using the same components as you will find in Dynamic Power technology, Ergoline ups the ante with its Extreme Power technology. Geared towards maximum UV output without compromise, Extreme Power is available exclusively on the Prestige 1100 and ensures an especially deep, long-lasting and natural-looking tanning effect in the difficult-to-tan facial area. Three supplemental 15-watt UV-B spaghetti lamps are added to the high-pressure units in order to increase the tanning power for your most demanding customers. The results they get are more than just extreme, they're awe-inspiring.

EXTREME POWER IN: PRESTIGE 1100

10











ULTRA PERFORMANCE TECHNOLOGY

separates Ergoline from its competition.

Exclusive high-pressure technology impressively demonstrates **Ergoline's superior UV competence**. The revolutionary **Ultra Performance system** combines an **optimized glass reflector** and **specially coated filter glass**. The improved glass reflector performs with **35% more UV output** and features special reflector geometry for a deeper and more intense tan. Featuring **computer-designed geometry**, the Ultra reflectors deliver unequaled performance and balanced UV-A and UV-B wavelengths. Combined with specially coated filters, they ensure that **only the most effective portions of the tanning spectrum are reflected**. Unwanted heat and infrared rays are transferred away from the tanner and are thus largely eliminated. The high-pressure tanning technology, through advanced engineering and first-rate results, is what



A.R.T. ADVANCED REFLECTIVE TANNING

UV power takes a different route to the customer with **A.R.T.** (**Advanced Reflective Tanning**) facial technology. Ergoline developed this technology for customers who disliked the "closed-in" feeling of traditional sunbeds and wanted unobstructed tanning freedom. Eliminating the usual tanning tunnel over the face, A.R.T. gives customers that real convertible feeling and allows them to tan as if they were under an open sky. The **800-watt**, **high-pressure UV units** – arranged along each side of the base – project the UV rays right onto the glass reflector surface on the upper part of the sunbed. The Ultra coating **only reflects those UV components useful for tanning**. Additionally, a very even and uniform distribution of the UV light is achieved due to the **computer-modeled positioning** of the UV components.

A.R.T. IN: OPEN SUN 550



The new Ergoline **Prestige 1100 in Mystic Black** gives tanners an extreme experience. 52 Dynamic Power, 200-watt UV lamps for a deep body tan, the advanced facial tanner system with 4 Ultra Performance high-pressure units and 3 additional UV-B spaghetti lamps leave nothing to be desired, while 2 **high-pressure shoulder tanners** with Ultra Performance technology seal the **Extreme Power package**. Thanks to acrylic panels at the head and foot ends of the sunbed, individual temperature levels are achieved quickly and maintained throughout the session with **Temptronic Plus**. These panels also help shield against external noise and allow your customers to fully enjoy the impressive **3D-Sound** system with its **MP3 dock-in** and **SD card slot**. **Aqua Mist & Aroma** provide a refreshing experience, while the innovative cockpit control – with its clear symbols, user-friendly **Voice Guide** and **full-text** display – grant total ease of use.





os	watts	kJ/min
52	200	109.57
	watts	kJ/min
4/3	520/15	23
	watts	kJ/min
2	240	0.39

Maximum exposure schedule: 10 min.





ERGOLINE PRESTIGE 990

lamps	watts	kJ/min
52	200	109.57
FT	watts	kJ/min
4	520	22
ST	watts	kJ/min
	240	0.20

Maximum exposure schedule: 10 min.



Treading the light fantastic – the new **Prestige 990** is ahead of its time in professional sunbeds with its expressive **Fashionpink Orange** design. This fascinating light design with colored Mood Lights is so alluring and its spacious tanning tunnel and extra-wide Multi Relax base acrylic emphasize the promise of luxury. Its standard **Temptronic climate control** and **Aqua Mist & Aroma** ensure a refreshing tanning experience. Optional features available include a shoulder tanner with **Ultra Performance technology**, and the new **3D-Sound system with subwoofer** that will not only delight your customers with its full sound, but they will also be able to play their own favorite music using the **MP3** dock-in. Operating the sunbed is particularly easy due to the **innovative cockpit** control with its clear symbols, full-text display and available user-friendly **Voice Guide**.



The new **Silverpearl Blue Prestige 990**, with 200-watt Dynamic Power UV lamps, creates an aura of timeless elegance and attracts customers with its unique appearance and features. The interior is equally impressive with a spacious tanning tunnel, extra-wide Multi Relax base acrylic and the innovative cockpit control to make tanning an effortless experience. Individual comfort is achieved with the **Temptronic** climate control system. **A high-pressure shoulder tanner** for a deep, lasting tan on the shoulders is available and music lovers will definitely appreciate the availability of the new **3D-Sound system** complete with **subwoofer, MP3 dock-in** and **SD card slot**.

ERGOLINE PRESTIGE 990 DYNAMIC POWER

os	watts	kJ/min
52	200	109.57
	watts	kJ/min
4	520	22
	watts	kJ/min
2	240	0.39

aximum exposure schedule: 10 min.







ERGOLINE ESPRIT 770

lamps	watts	kJ/min
48	200	106
FT	watts	kJ/min
4	500	16.3
ST	watts	kJ/min

Maximum exposure schedule: 10 min.

How cool is that?!



The **Esprit 770 Dynamic Power in Ice Blue**, with its striking lines and shining mood lighting, emits an aura of cool blue harmony. The 48 Dynamic Power 200-watt UV lamps, 4 Ultra Performance facial tanners and available **high-pressure shoulder tanners** will give your customers a perfectly cool-looking tan. For luxury, the **Temptronic** climate control, **Aqua Mist & Aroma** and wide **Multi Relax** base acrylic provide the ultimate in cool and refreshing comfort. Keeping everything under control is easy with the Esprit 770's new control panel. The illuminated symbols, full-text display and available **Voice Guide** make it easy to adjust any function. And to top it all off, an available new **3D-Sound system**, with **MP3 dock-in** and **5D card slot**, provides pure listening pleasure that can be customized for each individual.



For trend-setting tanners – the new **Esprit 770 in Silverpearl Red** gives this sunbed its fashionable look. Inside, the wide Multi Relax base acrylic with its arm rests and adjustable foot rests ensures a particularly relaxing tanning session while its 200-watt Dynamic Power UV lamps will give your customers consistently excellent results every time. The **innovative cockpit control** with its clear illuminated symbols, along with full-text display and available Voice Guide, make it very easy to use. **Temptronic** climate control will give your customers ideal individual temperature comfort – whether warm or cool. Optional extras for the Esprit 770 include **high-pressure shoulder tanners** with efficient Ultra Performance technology for a perfect all-around tan and the new **3D-Sound system**. This system, with **subwoofer, MP3 dock-in** and **5D card slot**, turns the sunbed into a concert hall for an individually tailored music performance.



mps	watts	kJ/min
48	200	106
	watts	kJ/min
4	500	16.3
	watts	kJ/min
2	240	0.39

Maximum exposure schedule: 10 min.









HP	watts	kJ/min
27	580	119.5
FT	watts	kJ/min
3	640	23

Maximum exposure schedule: 12 min.



FREE THE **POWER**

The **Open Sun 1050 Ultra Power** makes a statement with **30 high-pressure units** perfectly aligned along the canopy and base. With its superior glass reflector technology and filter glass expertise, this Ergoline sunbed demonstrates to the most discerning tanners how powerful, yet at the same time cool and airy, high-pressure tanning can be. Comfort features like the **Multi Relax acrylic**, available **stereo sound package** and the powerful Fan Cooling Plus make the tanning session fly by. The Open Sun 1050's massive power and features are controlled by a soft-touch panel with 32-field LED display. All operating controls are within easy reach of the tanning client and are marked with simple picture icons. Underlining its power, the Open Sun 1050 is designed with strong lines, gorgeous ambient lighting, logo illumination, modern

high-end colors and Radiant Sterling Blue paint finish. This unit will draw customers from near and far and is a true masterpiece for any salon.



SETTING THE **TREND**

The futuristically styled Ergoline **Open Sun 550** in its exciting **Blue Silver** or **Magenta Silver** color will give your customers the feeling of being in an open top convertible as they tan – perfect for clients who dislike the "closed-in" feeling of traditional beds. **A.R.T. technology** (Advanced Reflective Tanning) makes this possible. Two **800-watt high-pressure units**, arranged along the sides of the base, project the UV rays right onto the glass reflector surface on the upper part of the sunbed. Combined with **45 Turbo Power lamps** for the body area and a reflector in the shoulder area, the Open Sun 550 provides fantastic tanning results. **Air Condition Plus** keeps tanners comfortable and the wide Multi Relax base acrylic with its integrated headrest, relaxing armrests and variable tootrests makes every tanning session especially enjoyable. All of the sunbed's tanning functions are easily set via the control panel with its intuitive symbols.

ERGOLINE OPEN SUN 550

ps	watts	kJ/min
45	160	72.8
	watts	kJ/min
2	800	15.1

Maximum exposure schedule: 15 min.

NEW







ERGOLINE AFFINITY 950

lamps	watts	kJ/min
19	160	27.9
НР	watts	kJ/min
20	520	89.2
ST	watts	kJ/min

Maximum exposure schedule: 12 min.

POWERFUL DEBUT

The new Affinity 950 Ultra Power comes standard with outstanding tanning performance and comfort features. 20 high-pressure lamps in the canopy and on the side plus 19 Turbo Power UV lamps in the base give a deep and long-lasting tan. The facial tanners are equipped with efficient Ultra Performance technology and the additional shoulder tanners provide an even, all-over tan. The Temptronic climate control system gives your customers a cool and relaxing tanning experience. The available stereo sound system will satisfy any audiophile with its high quality sound. The Affinity 950 will enhance any salon's ambience with its luminous silver design as well as mood and ambient lighting with changeable colors in blue, magenta, yellow or red.



THE SCENE IS SET

With 51 Turbo Power 160-watt UV lamps, 4 Ultra Performance 520-watt facial tanners, a reflector neck tanner and optionally available shoulder tanner, the Affinity 800 Turbo Power is a true UV powerhouse. Along with power, this model is also setting the standard in terms of comfort. The wide Body Shape acrylic provides a relaxing tanning position while the clear layout of the control panel makes operating the sunbed effortless. The Temptronic function keeps the client's desired temperature constant throughout the entire tanning session. With just the simple press of a button, the **Aqua Mist & Aroma** functions dispense a refreshing spray over the face and body and also work in harmony to neutralize the typical UV fragrance. An optionally available stereo sound system (including the Voice Guide function) promises first-class audio quality. The Affinity 800 is available with mood and ambient lighting in blue, magenta, yellow or red.

ERGOLINE AFFINITY 800

011211	
watts	kJ/min
160	83.5
watts	kJ/min
520	22
watts	kJ/min
25	0.72
	160 watts 520 watts

Maximum exposure schedule: 12 min.










lamps	watts	kJ/min
46	160	73.6
FT	watts	kJ/min
3	500	15
ST	watts	kJ/min
		0.00

Maximum exposure schedule: 12 min.



FASHIONABLE APPEARANCE

With its 46 Turbo Power UV lamps and 3 Ultra Performance facial tanners, the intermediate model of the Affinity Series provides an excellent tanning result. The wide Body Shape acrylic, with an integrated headrest, variable footrests and comfortable armrests, ensures a relaxing tanning experience from beginning to end. Standard AC Plus air-conditioning keeps customers cool and comfortable even during the longest tanning session. The control panel on the Affinity 600 is clear and easy to use with self-explanatory buttons. A premium sound system (including the Voice Guide function) is optionally available and enhances an already enjoyable tanning experience. The Affinity 600 is available with mood and ambient lighting in blue, magenta, yellow or red.



A SUCCESSFUL ENTRANCE

The Affinity 500's 43 Turbo Power UV lamps and 3 Ultra Performance facial tanners will impress any tanning enthusiast. The standard reflector neck tanner and optional shoulder tanner result in a seamless tan. The comfort level in this sunbed is extraordinary for its class. The Body Shape acrylic, with its extra-wide surface, allows clients an amazing amount of movement so they can find just the right position. In addition, the Comfort Cooling ventilation is continuously adjustable and keeps tanners cool. A high-quality stereo sound system (including the Voice Guide function) is an available option. The Affinity 500 is available with mood and ambient lighting in blue, magenta, yellow or red.

ERGOLINE AFFINITY 500 IIRRO POWER

ıps	watts	kJ/min
43	160	64.7
	watts	kJ/min
3	500	15
	watts	kJ/min
7	25	0.72

laximum exposure schedule: 12 min.









160/180	63
Watts	kJ/min
400	9.7
	Watts

Maximum exposure schedule: 12 min.



NOW **STARRING**

The new **Inspiration 450** is a sunbed with features that salon owner's have been dreaming about. **Eye-catching styling** in Sky Blue and a fascinating light design element give this sunbed an unmistakable look. Ensuring a perfect, all-around tan, the Inspiration 450 has Turbo Power **180-watt, 2-meter long UV lamps** in the base, 160-watt UV lamps in the canopy and **4 facial tanners** at 400 watts each. The Inspiration 450 also sets standards for comfort. **Air conditioning**, a large tanning tunnel and a wide, ergonomically-shaped acrylic all offer a cool and relaxing tanning session from start to finish. Clients can enjoy music with the optional **stereo sound system** complete with MP3 dock-in and SD card slot for a totally customized experience.



RAISING THE BAR

The Inspiration 400 provides a beautifully natural tan with Turbo Power 180-watt, 2-meter long UV lamps in the base, 160-watt UV lamps in the canopy and 3 facial tanners at 400 watts each. Besides its power, the Inspiration 400 provides a level of comfort that you will not find anywhere else in this class of sunbed. The design in Solid Silver, together with the multi-colored Mood Lights, give it a phenomenal appearance. The wide, ergonomically shaped base acrylic, generously proportioned tanning tunnel and Comfort Cooling ventilation give clients an especially pleasant tanning session. An optionally available stereo sound system, complete with MP3 dock-in and SD card slot, adds to an enjoyable tanning experience.



Watts	kJ/min
160/180	60.8
Watts	kJ/min
400	7.3
	160/180 Watts

Maximum exposure schedule: 12 min.







ERGOLINE ADVANTAGE 400 TURBO POWER

lamps	watts	kJ/min
40	140	62
FT	watts	kJ/min
3	400	7.31

Maximum exposure schedule: 15 min.



TANNING WITH STYLE

The Advantage 400 imparts excellent tanning results with a perfect combination of 3 VIT Max high-pressure facials, 40 Turbo Power tanning lamps and a reflex neck tanner. In addition, it features a relaxing Bodyform Plus base acrylic with integrated headrest. Its Comfort Cooling ventilation, with cool air coming from facial and body zone outlets, is infinitely variable and keeps clients feeling fresh during the tanning session. Another enjoyable feature in the Advantage 400 is an audio system that offers perfectly reproduced stereo sound. A user-friendly control panel is easily reached by clients so they are always in charge of the tanning functions. To help ease service time for salon operators, the Advantage 400 features an Infrared (IR) Function. This gives password-protected access to all main sunbed parameters.



IT'S YOUR ADVANTAGE

Advanced UV geometry delivers consistent tanning performance for demanding tanning enthusiasts. Tanning in the Advantage 350 is very comfortable due to its advanced shape. The Comfort Cooling ventilation system supplies pleasantly cool air from the facial and body zone outlets. The Advantage 350's simple array of buttons, conveniently placed next to the tanning client, allows them to control the sunbed with ease while the headphone connection socket provides the necessary capability for tanners to enjoy music.

ERGOLINE ADVANTAGE 350 SIIPER POWER

ps	watts	kJ/min
38	120	48.9
	watts	kJ/min
3	400	7.31

Maximum exposure schedule: 15 min.







lamps	watts	kJ/min
40	160/120	50.4
FT	watts	kJ/min
3	400	4.83

Maximum exposure schedule: 15 or 20 min.



A STRONG PERFORMER

The strength of the Ambition 300 is apparent by its use of 40 Genesis technology Turbo and Super Power lamps, high-pressure facial tanners and extended tanning surface. The large rotary fan is quiet, yet it sends a refreshing stream of cool air to produce a pleasant tanning environment. Tanning clients are kept at the perfect temperature so they don't lose their cool. Continuing the Ambition 300's comfort is its perfectly shaped acrylic. The Body Curve acrylic's extended tanning surface positions the tanner for an even distribution of UV light and makes it as comfortable as a much larger sunbed. All the power in the Ambition 300 is easy to control thanks to the easy-to-understand and well-placed buttons. Its **bold starlight design element** stands out from the crowd and gives it a style all its own in this class of tanning bed. An available stereo sound system provides music enjoyment, Available colors are Racy Red Blue and Midnight Black.



TAKE A BOW

The Ambition 250 & 200 Super Power pack a lot into an efficient space. Their compactness means you can install them almost anywhere, making these sunbeds particularly good where space is a premium. Engineered with perfect results in mind, the Ambition 250, with its high-pressure facials and the Ambition 200 with its Super Power UV lamps, are loaded with tanning power to spare. Keeping clients cool and comfortable with all this power is a large, yet quiet, rotary foot fan. Comfort as well as its tanning results benefit from the Body Curve extended tanning surface. It softly supports customers while positioning them perfectly for an even distribution of UV light. An available stereo sound system provides music enjoyment. These head-turning sunbeds are available in Racy Red or Midnight Black color.

ERGOLINE AMBITION 250 & 20 Super Power				
amps	watts	kJ/min		
32	120	34.2		
T*	watts	kt/min		

Maximum exposure schedule: 15 or 20 min.

Ambition 250 only







ERGOLINE LOUNGE TURBO POWER

50 180 (2M) 89.2

Maximum exposure schedule: 10 min.

ment during tanning.

STANDING OUT FROM THE CROWD

50 Turbo Power 2-meter tall tanning lamps aligned using the Surround Tan concept ensure a deep, all-over tan in a brief tanning session. A main attraction of the Ergoline Lounge is its integrated Comfort Cabin. This changing room is built into the rear area of the Lounge and is equipped with every feature needed to make getting undressed and dressed a comfortable experience. An additional benefit of the Comfort Cabin is that a separate changing room is not necessary. This gives salon owners a variety of combinations for use as a stand-alone solution. Further enhancing comfort is the Fan Cooling system that creates a pleasantly cool atmosphere throughout the tanning session. This large fan is necessary due to the enormous amount of space within the Lounge, which gives clients unprecedented freedom of move-



THE LOOK THAT **GETS NOTICED**

The Vertical's 48 Turbo Power 2-meter tall tanning lamps, arranged utilizing the Surround Tan concept, provide a great tan that is achieved in a quick tanning session. The Ergoline Vertical, with its comfortable ergonomic handholds, allows customers to find their ideal tanning position. Placed near the handholds is one of the simplest and easy-to-understand control panels as well as a Voice Info feature that automatically announces when the session is 1/2 complete and over. Additional features in the Vertical are its Fan Cooling ventilation that can be infinitely varied to individual preferences and its **Sound Box music system**.

ERGOLINE VERTICAL IIRBO POWER

48 180 (2m) 82.8

Maximum exposure schedule: 10 min.





Tanning Technology & UV Lamps

ERGOLINE PRESTIGE 1100 EXTREME POWER lamps watts FT watts ST watts

52 200 4/3 520/15 2 240

Total UV Output in kJ/min: 133 Maximum exposure schedule: 10 minutes Mystic Black



Tanning Technology & UV Lamps

ERGOLINE PRESTIGE 990 DYNAMIC POWER

lamps watts FT watts 52 200 4 520 Total UV Output in kJ/min: 132 Maximum exposure schedule: 10 minutes Fashionpink Orange



DYNAMIC POWER lamps watts FT watts 52 200 4 520 Total UV Output in kJ/min: 132

Maximum exposure schedule: 10 minutes Silverpearl Blue ° Specially-ordered unit

Tanning Technology & UV Lamps











Comfort & Special Features









Operation & Control





Air Delivery & Technical Specifications

- Optional exhaust plenum
- Total power consumption (in watts): 18,500
- Electrical requirements: 230V 3Ø or 230V 1Ø · Circuit Breaker recommended:
- 80A / 3-pole 3Ø or 100A / 2-pole 1Ø Number of wires required: 4 3Ø or 3 1Ø
- Weight (in lbs): 1,500

- Dimensions closed
- (LxWxH in inches): 94 x 63 x 61
- Dimensions open (H in inches): 79
- Recommended room size (in feet): 10 x 9

Air Delivery & Technical Specifications

Optional exhaust plenum

Operation & Control

- Total power consumption (in watts): 17,800
- Electrical requirements: 230V 3Ø or 230V 1Ø
- Circuit Breaker recommended: 60A / 3-pole 3Ø or 100A / 2-pole 1Ø Number of wires required: 4 30 or 3 10
- Weight (in lbs): 1,500 Dimensions closed (LxWxH in inches):
- 94 x 63 x 61 · Dimensions open (H in inches): 79
- Electrical requirements: 230V 3Ø or 230V 1Ø Recommended room size (in feet): 10 x 9
 - Circuit Breaker recommended: 60A / 3-pole 3Ø or 100A / 2-pole 1Ø Number of wires required: 4 3Ø or 3 1Ø

Air Delivery & Technical Specifications

Operation & Control

- Optional exhaust plenum • Weight (in lbs): 1,500 Total power consumption (in watts): 17,800 · Dimensions closed (LxWxH in inches):
 - 94 x 63 x 61
 - Dimensions open (H in inches): 79
 - Recommended room size (in feet): 10 x 9











FRGOLINE AFFINITY 950

UITRA POWFR lamps watts HP watts 19 160 20 520 Total UV Output in kJ/min: 117.8 Maximum exposure schedule: 12 minutes Brilliant Silver with Titanium Décor Mood Light: Magenta, Yellow, Blue, Red











- DESCRIPTION - MARKET





Comfort & Special Features

Operation & Control



NAMES AND ADDRESS OF REAL PROPERTY.













FRGOLINE AFFINITY 800 TURBO POWER

51 160 4 520

Total UV Output in kI/min: 106.2

Maximum exposure schedule: 12 minutes

Brilliant Silver with Titanium Décor







Comfort & Special Features

· REGISTRAL MAT. · MATERIAL

Operation & Control

Optional exhaust plenum







Comfort & Special Features

Operation & Control

Optional exhaust plenum





Comfort & Special Features

Operation & Control

Optional exhaust plenum

Air Delivery & Technical Specifications

50A / 3-pole 3Ø or 80A / 2-pole 1Ø



- CHARGE COLOR - MARRIED MAN. - MICHARD




















· Circuit Breaker recommended:



- Optional exhaust plenum Total power consumption (in watts): 16,900 Electrical requirements: 230V 3Ø or 230V 1Ø
- · Dimensions open (H in inches): 78

Electrical requirements: 230V 3Ø or 230V 1Ø

60A / 3-pole 3Ø or 100A / 2-pole 1Ø

Number of wires required: 4 30 or 3 10

Optional exhaust plenum

Circuit Breaker recommended:

Operation & Control

Comfort & Special Features

- Total power consumption (in watts): 16,900
 - 94 x 61 x 58
 - · Dimensions open (H in inches): 78
- - Total power consumption (in watts): 20,000
 - Electrical requirements: 230V 3Ø or 230V 1Ø · Circuit Breaker recommended: 70A / 3-pole 3Ø or 120A / 2-pole 1Ø Number of wires required: 4 30 or 3 10
- Air Delivery & Technical Specifications
 - Weight (in lbs.): 2.095
 - 93 x 72 x 64

- · Dimensions closed (L xWxH in inches):

- Air Delivery & Technical Specifications
 - Number of wires required: 4 30 or 3 10
 - Weight (in lbs.): 1.015 Dimensions closed (L x W x H in inches): 90 x 52 x 45
 - · Circuit Breaker recommended: 70A / 3-pole 3Ø or 120A / 2-pole 1Ø Number of wires required: 4 30 or 3 10

- Air Delivery & Technical Specifications
 - Weight (in lbs): 1,650 · Dimensions closed (LxWxH in inches):
 - 93 x 60 x 54
 - Electrical requirements: 230V 3Ø or 230V 1Ø
- Number of wires required: 4 30 or 3 10 Total power consumption (in watts): 17,000 Weight (in lbs.): 1.670
 - · Dimensions closed (L x W x H in inches): 93 x 60 x 54
 - . Dimensions open (H in inches): 71

Recommended room size (in feet): 10 x 9




- 60A / 3-pole 3Ø or 100A / 2-pole 1Ø Number of wires required: 4 30 or 3 10
- Weight (in lbs): 1,270
- · Dimensions closed (LxWxH in inches):
- Recommended room size (in feet): 10 x 9
- Air Delivery & Technical Specifications
- Weight (in lbs): 1,270 · Dimensions closed (LxWxH in inches):
- Recommended room size (in feet): 10 x 9
- - . Dimensions open (H in inches): 78 Recommended room size (in feet): 10 x 9

Optional exhaust plenum Total power consumption (in watts): 11,000 · Electrical requirements:

- 230V 3Ø or 230V 1Ø Circuit Breaker recommended: 40A / 3-pole 3Ø or 70A / 2-pole 1Ø
- Dimensions open (H in inches): 72 Recommended room size (in feet): 10 x 9
- Total power consumption (in watts): 21,000 Electrical requirements: 230V 3Ø or 230V 1Ø
- · Dimensions open (H in inches): 71 Recommended room size (in feet): 10 x 9 Circuit Breaker recommended:











Total UV Output in kI/min: 56.2 Maximum exposure schedule: 15 minutes Sunny Gold

SUPER POWER

lamps watts FT watts

38 120 3 400

FRGOLINE ADVANTAGE 350





50A / 3-pole 3Ø or 80A / 2-pole 1Ø

Comfort & Special Features

- Air Delivery & Technical Specifications
- Optional exhaust plenum
- Total power consumption (in watts): 13,700
- · Electrical requirements: 230V 3Ø or 230V 1Ø Circuit Breaker recommended:
- 93 x 56 x 53 Dimensions open (H in inches): 69
- Number of wires required: 4 30 or 3 10 Weight (in lbs.): 1.650

Recommended room size (in feet): 10 x 9

- · Dimensions closed (L x W x H in inches):
- Optional exhaust plenum Total power consumption (in watts): 12,100 · Electrical requirements: 230V 3Ø or 230V 1Ø
 - Circuit Breaker recommended: 40A / 3-pole 3Ø or 70A / 2-pole 1Ø

Air Delivery & Technical Specifications

Comfort & Special Features

- Number of wires required: 4 30 or 3 10 Weight (in lbs.): 1,280
- · Dimensions closed (L x W x H in inches): Dimensions open (H in inches): 69
- 93 x 56 x 53 Recommended room size (in feet): 10 x 9
- Total Power consumption: 12.400 Watts · Circuit breaker recommended-40A / 3-pole or 70A /2-pole

Optional exhaust plenum

Comfort & Special Features

- Air Delivery & Technical Specifications
 - Number of wires required: 4 30 or 3 10 · Weight: 870 lbs.
- Electrical requirements: 230V 3Ø or 230V 1Ø Dimensions closed (L x W x H in inches): 89 x 61 x 52
 - Dimensions open (H in inches): 64 · Recommended room size (L x W in feet):

Total Power consumption: 11.200 Watts

· Circuit breaker recommended:

40A / 3-pole or 60A /2-pole

- Air Delivery & Technical Specifications Optional exhaust plenum
- Number of wires required: 4 30 or 3 10
- · Weight: 816 lbs.
- Electrical requirements: 230V 3Ø or 230V 1Ø
 Dimensions closed (L x W x H in inches): 89 x 61 x 52 Dimensions open (H in inches): 64 · Recommended room size (L x W in feet):
 - Electrical requirements: 230V 3Ø or 230V 1Ø · Circuit Breaker recommended:
- Optional exhaust plenum Number of wires required: 4 30 or 3 10 Total power consumption (in watts): 10.300

Air Delivery & Technical Specifications

40A / 3-pole 3Ø or 60A / 2-pole 1Ø

- Weight (in lbs.): 1.100 · Dimensions closed (L x W x H in inches): 85 x 50 x 44 Dimensions open (H in inches): 57 · Recommended room size (in feet): 9 x 7
- Electrical requirements:
- Air Delivery & Technical Specifications Optional exhaust plenum Total power consumption (in watts): 9.300

40A / 3-pole 3Ø or 60A / 2-pole 1Ø

- · Weight (in lbs.): 960 230V 3Ø or 230V 1Ø · Circuit Breaker recommended:
 - · Dimensions closed (L x W x H in inches): 87 x 47 x 44
- Number of wires required: 4 30 or 3 10 · Dimensions open (H in inches): 56
 - Recommended room size (in feet): 9 x 7





Comfort & Special Features

Design



DESCRIPTION OF THE OWNER.

Comfort & Special Features

Design







Comfort & Special Features

FRGOLINE VERTICAL TURBO POWER lamps watts 48 180 (2M) Total UV Output in k1/min: 82.8 Maximum exposure schedule: 10 minutes

Life-Size Photo Motif and Sleek Aluminum Shell

and consent of IK Products & Services. Inc. IK Products & Services, Inc. makes no quarantees on income. return on investment, market conditions, performance, etc. with any undertaking using its products and services. Past performance is not indicative of future results

> Notice: Read the mandatory FDA warning label found on every tanning machine for important information on potential eye injury, skin cancer, skin aging and photosensitive reaction and proper use. Compliant protective evewear must be worn when using any indoor tanning system or device.

The information contained herein is the copyrighted property

of IK Products & Services. Inc. No person, firm, corporation or

entity is authorized to reproduce or transmit this material or any portion thereof without the expressed written permission

(o) optional

* Specially-ordered unit: delivery may exceed the standard time. Please ask your sales representative for details.

ALL ERGOLINE SUNBEDS ARE:

- → M listed
- → tested to UL and CSA Standard ANSI/UL 482
- CAN/CSA-C22.2 No. 224-M89
- → FDA listed

Ergoline Prestige, Esprit, Open Sun, Affinity, Inspiration, Advantage and Stand-Up series are:

→ Radio interference suppressed and compensated



© 2007 IK Products & Services, Inc. reserves the right to change product designs, features, specifications, etc. without notice.

Tanning Technology & UV Lamps























Air Delivery & Technical Specifications

30A / 3-pole 3Ø or 40A / 2-pole 1Ø Buck-Boost required: (208V)

· Weight (in lbs): 685 Dimensions closed (L x W x H in inches):

Recommended room size (in feet): 9 x 8

Air Delivery & Technical Specifications

Electrical requirements: 230V

FRGOLINE AMBITION 250

SUPER POWER

Racy Red

Midnight Black

lamps watts FT watts

32 120 3 400

Total UV Output in kI/min: 39.0

Maximum exposure schedule: 15 or 20 minutes

••

- Dimensions closed (L x W x H in inches):
- Electrical requirements: 230V
- Air Delivery & Technical Specifications Total power consumption (in watts): 4.796
 - Circuit Breaker recommended: 30A / 2-pole 1Ø Number of wires required: 3.10
- · Weight (in lbs): 640
 - · Dimensions open (H in inches): 53
 - Dimensions closed (L x W x H in inches): 91 x 44.5 x 41.5

Air Delivery & Technical Specifications

- Optional exhaust plenum Total power consumption (in watts): 11,600
- · Flectrical requirements: 230V 3Ø or 230V 1Ø

Operation & Control


Comfort & Special Features

- Number of wires required: 4 3Ø or 3 1Ø
- Weight (in lbs.): 1.300
- Dimensions closed & open (W x D x H in inches): 48 x 63 x 95 & 59 x 65 x 95 · Recommended room size (L x W in feet):
- (feet, w/ & w/o exhaust plenum): 10 & 9

Air Delivery & Technical Specifications

- Total power consumption (in watts): 11,000
- Electrical requirements: 230V 30 Circuit Breaker recommended:
- · Weight (in lbs.): 992
- Dim. closed & open (W x D x H in inches): 40 x 48 x 96 & 51 x 51 x 96
- · Recommended room size (L x W in feet):





Number of wires required: 4 30 or 3 10

· Dimensions open (H in inches): 53

Total power consumption (in watts): 6.116

- · Circuit Breaker recommended:
- 30A / 3-pole 3Ø or 40A / 2-pole 1Ø Number of wires required: 4 30 or 3 10 Buck-Boost required: (208V)
- · Weight (in lbs): 660
- 91 x 44.5 x 41.5 Dimensions open (H in inches): 53 Recommended room size (in feet): 9 x 8
 - Buck-Boost required: (208V)

Recommended room size (in feet): 9 x 8

- Circuit Breaker recommended: 50A / 3-pole 3Ø or 80A / 2-pole 1Ø
- Minimum room height needed

50A / 3-pole 3Ø Number of wires required: 4 30

Operation & Control

- . Minimum room height needed (in feet): 9